

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	3	(choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and (modify or updat\$3 or chang\$3 or alter\$3 or writ\$3 or read\$3) adj10 (router or routing) adj5 (table or entry or memory or database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:02
L5	1	4 and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:27
L6	5	(choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired and wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:06
L7	8	(choose\$3 or determin\$3 or select\$3) near10 (network near3 interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:04
L8	2	7 and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:05
L9	1	6 and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:06
L10	52	(choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired and wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:05
L11	27	10 and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:16

L13	27	11 and (choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired with wireless))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 14:26
L15	18	11 and (choose\$3 or determin\$3 or select\$3) near10 ( interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference) and ((multiple or plurality) near10 networks or (wired with wireless)) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:10
L16	2447	(specif\$5 or choose\$3 or determin\$3 or select\$3) near10 (network or interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference or power adj3 consumption or latency or delay or traffic or bandwidth or parameter)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:09
L18	2007	(designat\$3 or request\$3 or specif\$5 or choose\$3 or determin\$3 or select\$3) near10 (network or interface) with (accord\$4 or depend\$4 or based or accord\$4) adj5 (profile or preference or power adj3 consumption or latency or delay or traffic or bandwidth or parameter) and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:17
L19	696	18 and ((multiple or plurality) near10 networks or (wired with wireless)) and rout\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:11
L20	165	19 and (profile or preference) with (power adj3 consumption or latency or delay or traffic or bandwidth or parameter or variable or environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:18
L21	38	19 and (profile or preference) with (includ\$3 or consider\$3 or incorporat\$3) adj10 (power adj3 consumption or latency or delay or traffic or bandwidth or parameter or variable or environment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:19

L22	13	(5 or 15 or 21) and policy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 15:32
L24	16	routing adj table near5 (entry or element) with field with (priority or parameter or metric or preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:16
L25	13	24 and (@AD < "20010928" or @RLAD < "20010928")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:16
L26	13	25 and routing adj table near5 (entry or element) near20 field with (priority or parameter or metric or preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:18
L27	7	26 and (modify\$3 or updat\$3) adj5 routing adj table near5 (entry or element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/02 16:19